

Amendments to the Claims

Please amend Claims 1, 7, 13 and 19. The Claim listing below will replace all prior versions of the claims in the application.

Claim Listing

1. (Currently Amended) A method comprising:
 - if an amount of data requested to be transferred by a data transfer request according to a first protocol exceeds a maximum data transfer amount permitted to be requested by a single data transfer request according to a second protocol, generating one data transfer request according to the second protocol and a data structure, the one data transfer request requesting transfer of a portion of the data, the data structure comprising one or more values identifying, at least in part, another portion of the data, the one or more values in the data structure for providing one or more other values indicating parameters of any data transfer request according to the second protocol; and
 - modifying, at least in part, another data structure associated with the second protocol based, at least in part, upon the one or more values, the another data structure comprising, prior to the modifying, at least in part, of the another data structure, the one or more other values indicating, at least in part, one or more parameters of the one data transfer request.
2. (Original) The method of claim 1, further comprising:
 - issuing the one data transfer request to storage.
3. (Original) The method of claim 1, wherein:
 - the one or more values indicate, at least in part, at least one of:
 - a number of data transfer requests according to the second protocol
 - that, when executed, result in transfer of the data; and
 - an identification of the one data transfer request.

4. (Original) The method of claim 1, wherein:
 - the first protocol comprises a Small Computer Systems Interface (SCSI) protocol; and
 - the second protocol comprises a Serial Advanced Technology Attachment (SATA) protocol.
5. (Original) The method of claim 1, further comprising:
 - issuing the one data transfer request; and
 - after the modifying, at least in part, of the another data structure, issuing another data transfer request according to the second protocol, the another data structure comprising, after the modifying, at least in part, of the another data structure, one or more additional values indicating, at least in part, one or more parameters of another data transfer request.
6. (Original) The method of claim 1, wherein:
 - the another portion of the data is identified, at least in part, in terms of at least one of one or more sectors of storage and an address value.
7. (Currently Amended) An apparatus comprising:
 - circuitry to generate, if an amount of data requested to be transferred by a data transfer request according to a first protocol exceeds a maximum data transfer amount permitted to be requested by a single data transfer request according to a second protocol, one data transfer request according to the second protocol and a data structure, the one data transfer request requesting transfer of a portion of the data, the data structure comprising one or more values identifying, at least in part, another portion of the data, the one or more values in the data structure for providing one or more other values indicating parameters of any data transfer request according to the second protocol, the circuitry also being capable of modifying, at least in part, another data structure associated with the second protocol based, at least in part, upon the one or more values, the another data structure comprising, prior to the modifying, at least in part, of the another data

structure, one or more other values indicating, at least in part, one or more parameters of the one data transfer request.

8. (Original) The apparatus of claim 7, wherein:
the circuitry is capable of issuing the one data transfer request to storage.
9. (Original) The apparatus of claim 7, wherein:
the one or more values indicate, at least in part, at least one of:
a number of data transfer requests according to the second protocol
that, when executed, result in transfer of the data; and
an identification of the one data transfer request.
10. (Original) The apparatus of claim 7, wherein:
the first protocol comprises a Small Computer Systems Interface (SCSI)
protocol; and
the second protocol comprises a Serial Advanced Technology Attachment
(SATA) protocol.
11. (Original) The apparatus of claim 7, wherein:
the circuitry is also capable of issuing the one data transfer request and,
after the modifying, at least in part, of the another data structure, issuing another
data transfer request according to the second protocol, the another data structure
comprising, after the modifying, at least in part, of the another data structure, one
or more additional values indicating, at least in part, one or more parameters of
another data transfer request.
12. (Original) The apparatus of claim 7, wherein:
the another portion of the data is identified, at least in part, in terms of at
least one of one or more sectors of storage and an address value.
13. (Currently Amended) An article comprising:

a storage medium having stored therein instructions that when executed by a machine result in the following:

if an amount of data requested to be transferred by a data transfer request according to a first protocol exceeds a maximum data transfer amount permitted to be requested by a single data transfer request according to a second protocol, generating one data transfer request according to the second protocol and a data structure, the one data transfer request requesting transfer of a portion of the data, the data structure comprising one or more values identifying, at least in part, another portion of the data, the one or more values in the data structure for providing one or more other values indicating parameters of any data transfer request according to the second protocol; and

modifying, at least in part, another data structure associated with the second protocol based, at least in part, upon the one or more values, the another data structure comprising, prior to the modifying, at least in part, of the another data structure, one or more other values indicating, at least in part, one or more parameters of the one data transfer request.

14. (Original) The article of claim 13, wherein the instructions when executed by the machine also result in:
 - issuing the one data transfer request to storage.
15. (Original) The article of claim 13, wherein:
 - the one or more values also indicate, at least in part, at least one of:
 - a number of data transfer requests according to the second protocol
 - that, when executed, result in transfer of the data; and
 - an identification of the one data transfer request.
16. (Original) The article of claim 13, wherein:
 - the first protocol comprises a Small Computer Systems Interface (SCSI) protocol; and

the second protocol comprises a Serial Advanced Technology Attachment (SATA) protocol.

17. (Original) The article of claim 13, wherein the instructions when executed by the machine also result in:

issuing the one data transfer request; and

after the modifying, at least in part, of the another data structure, issuing another data transfer request according to the second protocol, the another data structure comprising, after the modifying, at least in part, of the another data structure, one or more additional values indicating, at least in part, one or more parameters of another data transfer request.

18. (Original) The article of claim 13, wherein:

the another portion of the data is identified, at least in part, in terms of at least one of one or more sectors of storage and an address value.

19. (Currently Amended) A system comprising:

a circuit board comprising a circuit card slot; and

a circuit card capable of being coupled to the slot, the card comprising circuitry to generate, if an amount of data requested to be transferred by a data transfer request according to a first protocol exceeds a maximum data transfer amount permitted to be requested by a single data transfer request according to a second protocol, one data transfer request according to the second protocol and a data structure, the one data transfer request requesting transfer of a portion of the data, the data structure comprising one or more values identifying, at least in part, another portion of the data, the one or more values in the data structure for providing one or more other values indicating parameters of any data transfer request according to the second protocol, the circuitry also being capable of modifying, at least in part, another data structure associated with the second protocol based, at least in part, upon the one or more values, the another data structure comprising, prior to the modifying, at least in part, of the another data

structure, one or more other values indicating, at least in part, one or more parameters of the one data transfer request.

20. (Original) The system of claim 19, wherein:
the circuit board also comprises a processor and a bus via which the processor is coupled to the slot.
21. (Original) The system of claim 19, further comprising:
storage coupled to the card, the circuitry being capable of issuing the one data transfer request to the storage.
22. (Original) The system of claim 21, wherein:
the storage is capable of executing the one data transfer request